Author Index

Apfel, H., Eisenbeiss, W.F. and Meyer, T.F., Changes in the surface composition after transmission of *Acanthocheilonema viteae* third stage larvae into the jird, 63
Adrabi, K.I., see Chishti, A.H., 283
Armson, A., see Mendis, A.H.W., 159

Bailey, C.W., see Ray, B.K., 123
Baltz, T., see Bringaud, F., 111
Banerjee, C. and Sarkar, D., Isolation and characterization of a cyclic nucleotide-independent protein kinase from *Leishmania donovani*, 195
Bangs, J.D., see Elmendorf, H.G., 215
Barsuhn, C.L., see Ho, N.F.H., 1
Beale, G., see Thaithong, S., 149
Bennett, K.L., see Gruidl, M., 271
Bhat, G.J., Souza, A.E., Feagin, J.E. and Stuart, K., Transcript-specific developmental regulation of polyadenylation in *Trypanosoma brucei* mitochondria, 231
Bhattacharya, A., see Prasad, J., 137
Bhattaharya, S., see Prasad, J., 137
Bhaumik, D. and Datta, A.K., Active sito thiol(s) in *Leishmania donovani* adenosine kinase: comparison with hamster enzyme and evidence for the absence of regulatory adenosine binding site, 29
Bringaud, F. and Baltz, T., A potential hexose transporter gene expressed predominantly in the bloodstream form of *Trypanosoma brucei*, 111
Brodin, T.N., Heath, S. and Sacks, D.L., Genes selectively expressed in the infectious (metacyclic) stage of *Leishmania major* promastigotes encode a potential basic-zipper structural motif, 241
Bunch, K., see Gruidl, M., 271
Burns, J.M. Jr., see Daly, T.M., 279

Calvo-Méndez, C., see Villagómez-Castro, J.C., 53
Capron, A., see Cordeiro da Silva, A., 275
Capron, A., see Williams, D.L., 127
Carmona, E., see Meirelles, M.N.L., 175
Carson, C.A., see Ray, B.K., 123
Certa, U., see Meier, B., 15
Chakrabarti, D., Dame, J.B., Gutell, R.R. and Yowell, C.A., Characterization of the rDNA unit and sequence analysis of the small subunit rRNA and 5.8S rRNA genes from *Tritrichomonas foetus*, 75
Chan, S.-W., see Thaithong, S., 149
Chen, L.-l., Rekosh, D.M. and LoVerde, P.T., *Schistosoma mansoni* p48 eggshell protein gene: characterization, developmentally regulated expression and comparison to the p14 eggshell protein gene, 39
Chishti, A.H., Andrabi, K.I., Derick, L.H., Palek, J. and Liu, S.-C., Isolation of skeleton-associated knobs from human red blood cells infected with malaria parasite *Plasmodium falciparum*, 283
Cookson, E., see Williams, D.L., 127
Cordeiro da Silva, A., LePresle, T., Capron, A. and Pierce, R.J., Molecular cloning of a 16-kilodalton Cu/Zn superoxide dismutase from *Schistosoma mansoni*, 275
Costa, E.M., see Meirelles, M.N.L., 175
Cunha, V.M.N., Meyer-Fernandes, J.R. and Noël, F., A (Ca^{2+}-Mg^{2+})ATPase from *Schistosoma manson* is coupled to an active transport of calcium, 167

Daly, T.M., Burns, J.M. Jr. and Long, C.A., Comparison of the carboxy-terminal, cysteine-rich domain of the merozoite surface protein-1 from several strains of *Plasmodium yoelii*, 279
Dame, J.B., see Chakrabarti, D., 75
Datta, A.K., see Bhaumik, D., 29
Derick, L.H., see Chishti, A.H., 283
Döbeli, H., see Meier, B., 15
Docampo, R., see Moreno, S.N.J., 251

Eberhard, M.L., see Ellenberger, D.L., 131
Eisenbeiss, W.F., see Apfel, H., 63
Ellenberger, D.L., Pieniazek, N.J., Mian, I.S., Eberhard, M.L. and Lammie, P.J., Cloning and characterization of the *Wuchereria bancrofti* S15 ribosomal protein, 131
Elmendorf, H.G., Bangs, J.D. and Haldar, K., Synthesis and secretion of proteins by released malarial parasites, 215
Erttmann, K., see Kron, M.A., 289

Feagin, Jean E., The 6-kb element of *Plasmodium falciparum* encodes mitochondrial cytochrome genes, 145
Feagin, J.E., see Bhat, G.J., 231

Geary, T.G., see Ho, N.F.H., 1
Gharib, S., see Gruidl, M., 271
Goman, M., see Thaithong, S., 149
Greene, B.M., see Kron, M.A., 289
Grubb, W.B., see Mendis, A.H.W., 159
Gruidl, M., Bunch, K., Gharib, S. and Bennett, K.L., The GMP reductase gene of the nematode *Ascaris lumbricoides* var. *suum*, 271
Gutell, R.R., see Chakrabarti, D., 75

Haldar, K., see Elmendorf, H.G., 215
Heath, S., see Brodin, T.N., 241
Ho, N.F.H., Geary, T.G., Barsuhn, C.L., Sims, S.M. and Thompson, D.P., Mechanistic studies in the transcuticular delivery of antiparasitic drugs II: ex vivo/in vitro correlation of solute transport by *Ascaris suum*, 1

Ibrahim, M.S., Richie, T.L. and Scott, A.L., Surface-associated antigens of *Brugia malayi* L2 and L3 parasites during vector-stage development, 97

Jasmer, D.P., Reduker, D.W., Perryman, L.E. and McGuire, T.C., A *Babesia bovis* 225-kilodalton protein located on the cytoplasmic side of the erythrocyte membrane has sequence similarity with a region of glycogen phosphorylase, 263
Jensen, J.B., see Ray, B.K., 123
Juliano, L., see Meirelles, M.N.L., 175

Kron, M.A., Erttmann, K., Greene, B.M. and Unnasch, T., Characterization of a possible tRNA synthetase gene from *Onchocerca volvulus*, 289

Lammie, P.J., see Ellenberger, D.L., 131
Langer, P.J., see Steinkraus, H.B., 141
LePresle, T., see Cordeiro da Silva, A., 275
Liu, S.-C., see Chishti, A.H., 283
LoVerde, P.T., see Chen, L.-l., 39
Long, C.A., see Daly, T.M., 279
López-Romero, E., see Villagómez-Castro, J.C., 53

McGuire, T.C., see Jasmer, D.P., 263

Meier, B., Döbeli, H. and Certa, U., Stage-specific expression of aldolase isoenzymes in the rodent malaria parasite *Plasmodium berghei*, 15
Meirelles, M.N.L., Juliano, L., Carmona, E., Silva, S.G., Costa, E.M., Murta, A.C.M. and Scharfstein, J., Inhibitors of the major cysteinyl proteinase (GP57/51) impair host cell invasion and arrest the intracellular development of *Trypanosoma cruzi* in vitro, 175
Mejia, J.S., see Prioli, R.P., 96
Mendis, A.H.W., Armson, A. and Grubb, W.B., Difference spectroscopic characterisation of the cytochrome complement, 159
Merali, S., see Zhang, Y., 185
Meshnick, S.R., see Zhang, Y., 185
Meyer, T.F., see Apfel, H., 63
Meyer-Fernandes, J.R., see Cunha, V.M.N., 167
Mian, I.S., see Ellenberger, D.L., 131
Moreno, S.N.J., Vercesi, A.E., Pignataro, O.P. and Docampo, R., Calcium homeostasis in *Trypanosoma cruzi* amastigotes: presence of inositol phosphates and lack of an inositol 1,4,5-trisphosphate-sensitive calcium pool, 251
Murta, A.C.M., see Meirelles, M.N.L., 175

Noël, F., see Cunha, V.M.N., 167

Ortega-Barria, E., see Prioli, R.P., 96

Palek, J., see Chishti, A.H., 283
Patterson, J.L., see Weeks, R.S., 207
Pereira, M.E.A., see Prioli, R.P., 96
Perryman, L.E., see Jasmer, D.P., 263
Pieniazek, N.J., see Ellenberger, D.L., 131
Pierce, R.J., see Cordeiro da Silva, A., 275
Pierce, R.J., see Williams, D.L., 127
Pignataro, O.P., see Moreno, S.N.J., 251
Prasad, J., Bhattaharya, S. and Bhattacharya, A., Cloning and sequence analysis of a calcium-binding protein gene from a pathogenic strain of *Entamoeba histolytica*, 137
Prioli, R.P., Ortega-Barria, E., Mejia, J.S. and Pereira, M.E.A., Mapping of a B-cell epitope present in the neuraminidase of *Trypanosoma cruzi*, 96

Ray, B.K., Bailey, C.W., Jensen, J.B. and Carson, C.A., Chromosomes of *Babesia bovis* and *Babesia bigemina*, 123
Reduker, D.W., see Jasmer, D.P., 263
Rekosh, D.M., see Chen, L.-l., 39
Richie, T.L., see Ibrahim, M.S., 97
Ridley, R., see Thaithong, S., 149

Sacks, D.L., see Brodin, T.N., 241
Sarkar, D., see Banerjee, C., 195
Scharfstein, J., see Meirelles, M.N.L., 175
Scott, A.L., see Ibrahim, M.S., 97
Seesod, N., see Thaithong, S., 149
Silva, S.G., see Meirelles, M.N.L., 175
Sims, S.M., see Ho, N.F.H., 1
Songsomboon, S., see Thaithong, S., 149
Souza, A.E., see Bhat, G.J., 231
Steinkraus, H.B. and Langer, P.J., The protein sequence predicted from a *Leishmania guyanensis* gp63 major surface glycoprotein gene is divergent as compared with other *Leishmania* species, 141
Stuart, K., see Bhat, G.J., 231
Stuart, K., see Weeks, R.S., 207
Sueblinwong, T., see Thaithong, S., 149

Thaithong, S., Chan, S.-W., Songsomboon, S., Wilairat, P., Seesod, N., Sueblinwong, T., Goman, M., Ridley, R. and Beale, G., Pyrimethamine resistant mutations in *Plasmodium falciparum*, 149
Thompson, D.P., see Ho, N.F.H., 1

Unnasch, T., see Kron, M.A., 289

Vercesi, A.E., see Moreno, S.N.J., 251
Villagómez-Castro, J.C., Calvo-Méndez, C. and López-Romero, E., Chitinase activity in encysting *Entamoeba invadens* and its inhibition by allosamidin, 53

Weeks, R.S., Patterson, J.L., Stuart, K. and Widmer, G., Transcribing and replicating particles in a double-stranded RNA virus from *Leishmania*, 207
Widmer, G., see Weeks, R.S., 207
Wilairat, P., see Thaithong, S., 149
Williams, D.L., Pierce, R.J., Cookson, E. and Capron, A., Molecular cloning and sequencing of glutathione peroxidase from *Schistosoma mansoni*, 127

Yowell, C.A., see Chakrabarti, D., 75

Zhang, Y., Merali, S. and Meshnick, S.R., *p*-Aminobenzoic acid transport by normal and *Plasmodium falciparum*-infected erythrocytes, 185

Subject Index

Acanthocheilonema viteae, 159
African trypanosomes, 111
Aldolase isoenzyme, 15
Allosamidin, 53
Amastigote, 251
Anion exchanger, 185
Ascaris, 271
Ascaris suum, 1
ATPase, 167

Babesia bigemina, 123
Babesia bovis, 123, 263
Biophysical model, 1
Brugia malayi, 97, 289
Brugia pahangi, 131

(Ca^{2+}-Mg^{2+})ATPase, 167
Caenorhabditis elegans, 271
Calcium, 251
Calcium uptake, 167
Calcium-binding protein, 137
Calmodulin, 137
cDNA clone, 127
Chitinase activity, 53
Chorion gene, 39
Chromatin diminution, 271
Chromosome, 123
Cuticle, 1, 63
Cuticular lipid, 63
Cyclic nucleotide, 195
Cysteine mapping, 29
Cysteine proteinase, 175
Cysteine-rich domain, 279
Cytochrome, 159
Cytochrome *b*, 145
Cytochrome oxidase, 145

Developmentally regulated gene expression, 39
Developmental regulation, 231
Difference spectroscopy, 159
Differential screen, 241
Dihydrofolate reductase-thymidylate synthetase, 149
DNA sequence, 137, 141
Double-stranded RNA virus, 207

Eggshell protein gene, 39
Encystment, 53
Entamoeba, 53
Entamoeba histolytica, 137
Enzyme inactivation, 29
Erythrocyte-associated protein, 263
Eukaryote, 75
Evolution, 15

Filaria, 63
Filariae, 159
Filariasis, 131
Folate, 185
Folic acid, 185

Gene expression, 111, 241
Glutathione peroxidase, 127
Glycocalyx, 63
Glycogen phosphorylase, 263
Glycolysis, 15
GMP reductase, 271
GP63, 141
GP65, 141

Hexose transporter, 111

Infective promastigote, 241
Inositol phosphate, 251

L2, 97
L3, 97
Leishmania, 207
Leishmania donovani, 195
Leishmania guyanensis, 141
Leishmania major, 241
Leucine zipper pattern, 241

Major surface glycoprotein, 141
Malaria, 145, 149, 185, 279
Merozoite, 263
Merozoite surface protein-1, 279
Metacyclogenesis, 241
Metalloprotease, 141
Microsome, 167
Mitochondrial gene, 145
Mitochondrial gene transcript, 231
Multigene family, 111
Mutation, 149

Nematode, 1, 271
Neuraminidase, 85

Partition coefficient, 1
Peptide sequence, 279
Phosphorylation, 195
Plasmodium berghei, 15
Plasmodium falciparum, 145, 149, 283
Plasmodium yoelii, 279
Polyadenylation, 231
Polymerase chain reaction, 127, 131
Post-invasive L3, 63
Promastigote, 195
Protease inhibitor, 175
Protein kinase, 195
Protein secretion, 215
Protozoa, 75, 175
Purine salvage pathway, 271
Pyrimethamine, 149

Regulation, 29
Released malarial parasite, 215
Replicase, 207
Respiratory electron transport, 159
Ribosomal protein S15, 131
Ribosomal RNA, 75
RNA-dependent RNA polymerase, 207

Schistosoma mansoni, 39, 127, 167, 275
Schistosome female reproductive development, 39
Schistosomiasis, 275
Selenocysteine, 127

SH-blocker, 29
Size variation, 231
16S rRNA, 75
18S rRNA, 75
Stage-specific antigen, 97
Superoxide dismutase, 275
Surface antigen, 97
Surface epitope, 263
Surface radioiodination, 63

Tandem repeat domain, 85
Thapsigargin, 251
Transcriptase, 207
Transcuticular transport, 1
Trichomonad, 75
Trypanosoma brucei, 231
Trypanosoma cruzi, 85, 175, 251

Uptake, 185

Vaccine development, 127
Vanadate, 167
Vector-stage development, 97

Wuchereria bancrofti, 131